

POC MOBILE RADIO MNC360

MOVE ANYWHERE. CONNECT ANYTIME.





OVERVIEW

The MNC360 is a push-to-talk over cellular (PoC) mobile radio designed for in-vehicle communication. With Hytera innovative design, it provides reliable, loud & clear voice service for various field communication scenarios.

The simple-to-use design enables ease of radio installation, removal, and operation. Versatile accessories are available to meet more requirements in different work environments. Working as a professional business-ready PTT mobile radio, MNC360 is the ideal group communication device for vertical markets.

ILOUD AND CLEAR AUDIO

• The built-in 4-watt speaker comes with distortion suppression, howling suppression and noise cancellation technology, which enables the MNC360 to transmit loud and clear audio even with the window rolled down in construction sites or bustling street.



SMOOTHER COMMUNICATION

- Compared with regular smartphone, the two external LTE antennas on the MNC360 improve its RX sensitivity by 3dB, covering the weak signal area such as suburb or underground parking lot.
- The manual switch enables the MNC360 to always select the network with better signal strengths. Stable, seamless, and high-quality communications are ensured everywhere.



SMART DESIGN, SAFE DRIVING

- The MNC360 is a safety assistant providing over-speed alarm and fatigue driving alarm to ensure a safe trip.
- Keys on the MNC360 are automatically locked during driving, helping the driver focus more on the road and less on the radio.
- Meanwhile, the external USB camera can be connected to the MNC360, working as a dash camera to record the driving details.

C FLEXIBILITY AND ADAPTABILITY

- Paring with wired accessories or wireless accessories, the MNC360 gives users more freedom and flexibility for voice communications.
- With the Android system and standard APIs, the MNC360 is open for third-party apps to create an in-vehicle ecosystem for data application in the field.
- Moreover, the MNC360 is highly customizable to extend the capabilities to fit specific needs.



 \odot

ROBUST DESIGN, EASY TO USE

mana

APPEARANCE

COMPACT AND LIGHTWEIGHT, THE MNC360 PERFECTLY FITS INTO THE LIMITED SPACE IN THE VEHICLE OF ALMOST ALL TYPES.

- The snap-in bracket lets you quickly install or remove the radio, and easily adjust the radio position through the rotatable bearings.
- The layout of the connectors and keys makes radio operations more comfortable. The four Braille-style programmable keys are easy to locate through tactile sense, and provide quick access to key features such as starting recording or switching day or night mode.
- These human-centered designs greatly improve the efficiency and productivity.
- Aviation connector between remote microphone and main unit, robust design to provide reliable and stable connection under any operation scenarios.



SPECIFICATIONS

Network

ACCESSORIES

Frequency Band	FDD-LTE: B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/B20/B26/B28 TDD-LTE: B38/B39/B40/B41 (2496–2690 MHz) GSM: 850/900/1800/1900 WCDMA: B1/B2/B3/B4/B5/B8	B
Hardware		 Palm Microphone
Operating System	Android 7.1	
Memory	1 GB RAM + 8 GB ROM	
TF Card	128 GB (Max)	
Dimensions (H x W x D)	170 mm x 66 mm x 39.3 mm	
Weight	About 300g	
Display Size	2.0 inches	
Display Resolution	320 x 240	 ITF Antenna
SIM Card	2 x Micro-SIM	• EFE / Internind
Positioning	GPS/BDS/GLONASS/A-GPS	
WLAN	2.4 GHz, 802.11 b/g/n	
BT	BT 4.2	
NFC	Optional	- ()
External Interfaces	Micro-USB 2.0 (OTG) 3.5 mm audio jack Two LTE antenna ports 2-pin external speaker port GPS antenna connector Power inlet 10-pin aviation port	Power Cord
Input Voltage	13.6±15%V DC	
Speaker	≤ 8 W	
Sensor	Available	
Environment		
Operating Temperature	-20°C to +60°C	TI 🗚
Storage Temperature	-40°C to +85°C	Wired Earpiece
ESD	IEC 61000-4-2, (ESD) \pm 12 kV (air); \pm 8 kV (contact)	
IP Rating	IP54	
Certification		-
Certification	FCC/IC/CE	







• Wireless Remote Speaker Microphone



• Wireless Ring PTT



SCENARIOS



Logistics

Transportation

Security

Ambulance

• BT Earpiece

Mining



Hytera Communications Corporation Limited Stock Code: 002583.SZ

Address: Hytera Tower, Shenzhen Hi-Tech Industrial Park North,Beihuan RD.9108#, Nanshan District, Shenzhen, P.R.C.Tel: +86-755-2697 2999Fax: +86-755-8613 7139Post: 518057Https: //www.hytera.commarketing@hytera.com



Hytera retains right to change the product design and specification. Should any printing mistake occur, Hytera doesn't bear relevant responsibility. Little difference between real product and product indicated by printing materials will occur by printing reason.

HYT, Hytera are registered trademarks of Hytera Communications Corp., Ltd. © 2022 Hytera Communications Corp., Ltd.All Rights Reserved.