



Better Capture, Greater Justice



www.hytera-europe.com



The SC780 is a state-of-the-art 4G LTE body camera, designed for future-ready performance. It captures ultra-clear, stable videos with enhanced detail, and records up to 120 seconds before the video recording key is activated. This ensures you never miss crucial evidence in emergencies.

The SC780 is equipped with a suite of real-time connected features via the Hytera System, including HD video livestreaming, secure voice and video communications, and intelligent scene awareness etc. These features enable seamless real-time communication between on-site officers and control centres, enhancing response times.



Large capacityAnti-falling battery latch

CAPTURE THE TRUTH

In law enforcement activities such as traffic incidents, routine patrols, on-site investigations involving the general public, and emergency responses, body cameras provide recordings of interactions between officers. This critical evidence serves as the cornerstone for protecting communities, strengthening public trust, and upholding justice.





130° Ultra-Wide FOV

Capture more crucial elements and surroundings of a scene, providing a comprehensive view of how incidents unfolded.

Rock-steady Videos

Achieve stable, blur-free shots while walking or running, thanks to the 6-axis image stabilisation algorithm.

Record Sounds Clearly

Capture authentic, detail-rich sounds ideal for critical evidence, including distant conversations up to 10 metres away, thanks to two powerful microphones.







120s Pre-recording / Post-recording

Capture events up to 120s before activating the video recording key, and 120s after recording is stopped. This ensures that incident narratives are thorough and credible.





AES-256 Hash Digital Encryption Verification Signature

Protect evidence from unauthorized decryption and tampering with the AES-256 encryption algorithm and digital signature verification using Hash values, during both transmission and storage.

240301AA 03/01 16:28

240301AB

240301AC 1301 16:30

001/3000

FACILITATE VISUALIZED DISPATCH



The SC780 lets in-office dispatchers know on-site situations in a visual way, including real-time videos and device position on the map, enabling a quick response in emergencies.

Adaptive Bitrate Streaming (ABR)

Adjust video quality based on network conditions to ensure more reliable and smoother video.

Dual-stream Technology

Livestream video to the control centre while saving footage locally.

Precise Positioning

Enhance positioning accuracy with a flexible combination of GPS, BDS, GLONASS, or Galileo satellite systems.



(💮) Intelligent Scene Detection

The SC780 senses light and motion in real time to detect whether the camera is blocked and the officer is down. If so, it automatically sends an alarm to the control center for evidence capture or immediate assistance.



PUSH TO TALK WITH CLEAR AUDIO



Be a PoC Radio.

Simply press the easy-to-locate, large PTT key on the SC780 to communicate with an individual or a group even during recording.

Communicate over Public Networks

Wherever there is a cellular signal, the SC780 can deliver voice, video, and multimedia data services.

Collaborate with DMR/TETRA Radio

With the Hytera converged communication system, the SC780 communicates securely and stably with DMR or TETRA radios.



Super Loud

85dB@30cm¹

Loudness

Equipped with two 1.5 W powerful

speakers, the SC780 delivers the audio

with a maximum loudness of 85 dB at 30

cm away, ensuring officers hear and be

heard in highly noisy environments.

Ultra Clarity

40 dB Al-based Noise Cancellation²

Thanks to the Al-based noise cancellation algorithm, the SC780 can quickly separate the human voice from background noise within 20 ms, helping officers get clear commands from the first word.

Audio Adaptation


Hytera Converged Communication System

DMR/TETRA

3G/4G

30 cm Howling Suppression

Using the advanced howling suppression algorithm, the SC780 eliminates a screeching feedback noise when two body cameras are close, even 30 cm apart.



¹85dB is about the volume of cars shuttling across the road. ² No noise cancellation is performed in recording for evidence integrity.

BOOST WORK EFFICIENCY



The intuitive sliding design of the video recording key makes activation easier than ever. The physical placement of the slider on the camera allows officers to know whether the recording is on or off with a simple touch, enabling them to stay focused on the situation without distraction.









Easily binds the SC780 with the officer's ID just by placing the ID card near the camera. At shift changes, the SC780 allows officers to switch the device account with just a tap, providing a faster and more secure experience.





recording

3 to 5 minutes Uninterrupted power 13 hours Continuous video during battery replacement

The 3,200mAh main battery supports up to 13 hours of continuous recording at 720p (GPS on, LTE on). An additional built-in backup battery powers ongoing recording for 3 to 5 minutes in case of a power loss, such as main battery replacement. Zero downtime without compromise.

³The time is measured in the lab and may vary from configuration.



IP68 1.5-meter Water Resistance **Drop Resistance Dust Resistance**

• Certified with CE and IP68, the SC780 performs well in rainstorms, sandstorms, and any other harsh environments.

Protected by robust liquid silicone housing, the SC780 resists 1.5-metre drops • without worries of the battery falling out



Applications



Public Safety

Emergency

Jail



Customs

Traffic

Market Surveillance

Solution



Accessories

Optional



MagnetfiMount Use powerful magnet to grip your uniform tightly.



ChestfiHarness Adjustable reflective strap for night work safety.



ShoulderfiStrap Adjustable strap for all-day comfort movement.



MollefiMountfi Compatible with Molle system.



Motorcycle Mount • 360° adjustable Anti-slip and stable



Car Mount • Adjustable angle

Super-strong suction cup





BT Earpiece

- Standard



BT PTT Ring







USB Type-C Cable



Power Adapter

Battery

Belt Clip

Specifications

General		Reliability	
Dimensions (H x W x D)	103 mm x 56 mm x 34 mm	Certificate	IP68, MIL-STD-810H, CE, IC
Weight	180 g (with battery)	Drop Test	1.5 meters
Screen	2.4-inch	Operating	-20°C to + 60°C
Storage Capacity	32 GB/64 GB/128 GB/256 GB	Temperature	
Battery Capacity	3200 mAh		
Battery Life	13 hours	Connectivity	
Positioning	GPS/BDS/GLONASS/GALILEO	WLAN	802.11a/b/g/n/ac
Interface	USB 3.0 Type-C, supporting OTG	BT	BT 5.1
		NFC	Available
Camera			Asian, European, and African version:
Camera	Main camera x 1, front camera x 1		GSM: 850/900/1800/1900
Night Vision	Infrared night vision		CDMA: Bc0
Field of View	130° Diagonal		WCDMA: B1/B3/B5/B8
			TDD-LTE: B34/B38/B39/B40/B41
Recording			FDD-LTE: B1/B3/B5/B7/B8/B20/B26/B28
Video Resolution	1080p@30fps, 720p@30fps,	Cellular Networks	American version:
	480p@30fps		GSM: 850/900/1800/1900
Photo Resolution	up to 36 MP		WCDMA: B2/B4/B5/ B8
Video File Format	MPEG-4 (.mp4)		TDD-LTE: B38/B40/B41
Photo File Format	JPEG (.jpg)		FDD-LTE: B2/B3/B4/B5/B7/B12/B13/B17/
Audio File Format	Advanced Audio Coding (.aac)		B26/B28/B66

Hytera Communications Europe

939 Yeovil Road, Slough, Berkshire, SL1 4NH info@hytera-europe.com | www.hytera-europe.com



 \bigcirc

www.facebook.com / HyteraEurope



/ Hytera.Europe

www.instagram.com



www.linkedin.com/company/ hytera-communications-uk





Subscribe on YouTube



Hytera reserves the right to modify the product design and the specifications.

In case of a printing error, Hytera does not accept any liability. All specifications are subject to change without notice.